



solid partners
proven solutions



OptiReader™

Revolutionary ellipsometric jet fuel
thermal oxidation heater tube scanner

- 🌐 Precise HT scanning with pass/fail results
- 🌐 Accurate test results in less than 10 minutes
- 🌐 Completely automated test, requires no training
- 🌐 Better precision than ASTM D3241 requirements

TAKING HEATER TUBE SCANNING TO THE NEXT LEVEL

PAC has developed a blazing fast ellipsometric jet fuel thermal oxidation heater tube scanner. Our new OptiReader™ provides pass/fail results with a full 2D and 3D thickness map defining deposit maximum deposit thickness and volume. Results are not only fast, but also highly precise and accurate. The user interface is so simple it doesn't require any training which saves time and money.



KEY ADVANTAGES

NO TRAINING NECESSARY



- No training or analytical knowledge required
- User friendly interface on a large 10.8" color touchscreen
- One button operation
- No operator visual check necessary
- Ease of use translates into lab savings

NUMERICAL HEATER TUBE SCAN



- Objective pass/fail results
- Quantifiable HT deposit thickness and volume
- Unified test report with results from JFTOT & OptiReader
- Data integration using PAC Intelligent Heater Tubes - at no extra cost

OVER THE TOP PRECISION



- Better precision than ASTM D3241 requirements
- Accurate results validated through a set of 5 ALD standard tubes
- $r < 2\text{nm}$, $R < 4\text{nm}$
- Minimization of human error from the decision making


FASTEST IN THE MARKET



- Full mapping is completed in less than 10 minutes
- Automated pass/fail validation

SAFE & WORRY-FREE ECOSYSTEM

This easy 2-step process provides accurate and fast results allowing you to improve lab productivity by reducing the need of trained technicians.



BEST OVERALL PERFORMANCE

The OptiReader's friendly interface, accurate and fast results, and data integration capabilities make it the best in its class.

	PAC ETR	VTR	ITR	Other ETR
HT rating	✓	✓	✓	✓
Quantitative thickness map	✓	✗	✓	✓
Wide range of deposits	✓	✗	✗	✓
Fast results (<10 minutes)	✓	✓	✗	✗

PRECISE SCAN

Full thickness map shows deposit thickness

NUMERICAL ACCURATE RESULTS

Stored in the analyzer or IHT



SMALL FOOTPRINT

Size equivalent to a VTR

SIMPLIFIED OPERATION

One-push button and large touchscreen makes it easy to use



SPECIFICATIONS

Analytical Principle	Ellipsometry
Measurement Range	
Deposit Thickness	0 to 500 nm
Deposit Volume	0 to 0.5 mm ³
Stated Precision	
Repeatability	<2 nm
Reproducibility	<4 nm
Number of measurement points	1200
Ambient temperature	10° to 35° C / 50° to 95° F
Altitude	Less than 2000 mts.
Test Sample	Standard/Intelligent Heater Tube
Test Duration	< 10 min
RFID Reader	Yes
User Interface	10.8" Color Touchscreen
Sample Loading	Heater Tube Insert
Test Results	<ul style="list-style-type: none">• Heater Tube Number• Sample ID• Pass/Fail Result• Deposit Thickness• Deposit Volume• 2D & 3D Color Map
Special Function	Pass/Fail Indication, Event Log
Internal Memory	Up to 2000 results
Calibration/Validation Log	Custom validation range selection
Password Protection	Yes
Output	3x USB, 1x Ethernet LAN
Network Printer Connectivity	Yes
Dimensions w x h x d (in/cm)	Instrument: 10 x 14 x 16.5 in. / 25.4 x 35.5 x 42 cm. Crate: 29 x 34 x 29 in. / 73.6 x 86.3 cm.
Weight (lbs/kg)	Instrument only: 33lbs. / 15 kg. Crated instrument: 130 lbs. / 59 kg.
Electrical (Voltage/Frequency)	100V to 240V - 50/60 Hz or 12V/5A - DC

Continuing research and development may result in specifications or appearance changes at any time

ABOUT PAC

PAC develops advanced instrumentation for lab and process applications based on strong **Analytical Expertise** that ensures **Optimal Performance** for our clients. Our analyzers help our clients meet complex industry challenges by providing a low cost of ownership, safe operation, high performance with fast, accurate, and actionable results, high uptime through reliable instrumentation, and compliance with standard methods.

HEADQUARTERS

PAC LP | 8824 Fallbrook Drive | Houston, Texas 77064 | USA
T: +1 800.444.8378 | F: +1 281.580.0719

Our solutions are from industry-leading brands: AC Analytical Controls, Advanced Sensors, Alcor, Antek, Herzog, ISL, Cambridge Viscosity, PSPI, and PetroSpec. We are committed to delivering superior and local customer service worldwide with 16 office locations and a network of over 50 distributors. PAC operates as a unit of Roper Technologies, Inc., a diversified technology company and a constituent of S&P 500, Fortune 1000, and Russell 1000 indices.



Contact us for more details.

Visit our website to find the PAC representative closest to you.